




1. Copy **T2_Core_Source_v2.1** folder and **T2_T2VOC_Source_v2.1** folder to a new directory on hard drive.
 - a. Computer – Local Disc (C:) – Users – asnie – *(create folder) TOUGH2* – *(create folder) Executables* - *(copy paste both folder) T2_Core_Source_v2.1 & T2_T2VOC_Source_v2.1*



2. Copy the relevant executable to the directory where your input files are
 - a. The executable: **xt2_t2voc.exe** which is already in the **Executable_T2VOC** folder
 - b. Copy executable: **xt2_t2voc.exe**





- c. Paste executable: **xt2_t2voc.exe** into the directory where input files are.
 - i. Input files is in **Sample_T2VOC** folder
 - ii. Computer – Local Disc (C:) – Users – asnie – TOUGH2 – Executables – T2_T2VOC_Source_v2.1_Sample_T2VOC – (*paste executable*) **xt2_t2voc.exe**




3. Open a DOS Command window


- a. START – (at search program and files type:) cmd – (enter)



b. Pop-up DOS command window appear : C:\Windows\system32\cmd.exe




4. Change to working directory
 - a. C:\Users\asnie>(type)cd(one space bar and type)TOUGH2\Executables\T2_T2VOC_Source_v2.1\Sample_T2VOC(enter)




b. The text will appear as shown:

C:\Users\asnie\TOUGH2\Executables\T2_T2VOC_Source_v2.1\Sample_T2VOC


>




d. The text will appear as shown:




e. Maximize window




5. Execute the code and redirect the standard input and standard output using "<" and ">", respectively
 - a. C:\Users\asn1e\TOUGH2\Executables\T2_T2VOC_Source_v2.1\Sample_T2VOC >(type)xt2_t2voc.exe<rgdif(enter)




b. The text will appear as shown.



6. The output to be printed to file **rgdif.out**
 - a. C:\Users\asnie\TOUGH2\Executables\T2_T2VOC_Source_v2.1\Sample_T2VOC >(type)xt2_t2voc.exe(one space bar)<rgdif(one space bar)>rgdif.out(enter)
 - b. The text appear as ashown:



- c. Try change the output name to **rgdifx.out** which is new file to be save in folder **Sample_T2VOC**
 C:\Users\asnie\TOUGH2\Executables\T2_T2VOC_Source_v2.1\Sample_T2VOC
 >(type)xt2_t2voc.exe(one space bar)<rgdif(one space bar)>rgdifx.out(enter)



- d. Check the folder C:\Users\asnje\TOUGH2\Executables\T2_T2VOC_Source_v2.1\Sample_T2VOC to see the new output file **rgdifx.out**

